

The LiteBIRD mission to explore cosmic inflation

T. Ghigna¹, A. Adler², K. Aizawa³, H. Akamatsu¹, R. Akizawa³, E. Allys⁴, A. Anand⁵, J. Aumont⁶, J. Austermann⁷, S. Azzoni⁸, C. Baccigalupi^{9,10,11}, M. Ballardini^{12,13,14}, A. J. Banday⁶, R. B. Barreiro¹⁵, N. Bartolo^{16,17,18}, S. Basak¹⁹, A. Basyrov²⁰, S. Beckman²¹, M. Bersanelli^{22,23}, M. Bortolami^{12,13}, F. Bouchet²⁴, T. Brinckmann¹², P. Campeti^{13,25,26}, E. Carinos⁶, A. Carones^{5,27}, F. J. Casas¹⁵, K. Cheung^{28,21,29,30}, Y. Chinone^{1,31}, L. Clermont³², F. Columbro^{33,34}, A. Coppolecchia^{33,34}, D. Curtis²⁹, P. de Bernardis^{33,34}, T. de Haan^{35,1}, E. de la Hoz^{36,15,37}, M. De Petris^{33,34}, S. Della Torre³⁸, G. Delle Monache³⁹, E. Di Giorgi⁴⁰, C. Dickinson²⁸, P. Diego-Palazuelos^{25,37}, J. J. Díaz García⁴¹, M. Dobbs⁴², T. Dotani^{43,44}, H. K. Eriksen²⁰, J. Errard⁴⁵, T. Essinger-Hileman⁴⁶, N. Farias⁴⁷, E. Ferreira³¹, C. Franceschet^{22,23}, U. Fuskeland²⁰, G. Galloni^{12,5}, M. Galloway²⁰, K. Ganga⁴⁵, M. Gerbino¹³, M. Gervasi^{48,38}, R. T. Génova-Santos^{41,49}, S. Giardiello⁵⁰, C. Gimeno-Amo¹⁵, E. Gjerløw²⁰, R. González González⁴¹, L. Grandsire⁴⁵, A. Gruppiso^{14,51}, N. W. Halverson⁵², P. Hargrave⁵⁰, S. E. Harper²⁸, M. Hazumi^{1,35,43,31,44}, S. Henrot-Versillé⁵³, L. T. Hergt⁵⁴, D. Herranz¹⁵, E. Hivon²⁴, R. A. Hlozek⁵⁵, T. D. Hoang⁵⁶, J. Hubmayr⁷, K. Ichiki⁵⁷, K. Ikuma⁵⁸, H. Ishino⁵⁸, G. Jaehnig⁷, B. Jost³¹, K. Kohri³⁵, K. Konishi⁵⁹, L. Lamagna^{33,34}, M. Lattanzi¹³, C. Leloup³¹, F. Levrier⁴, A. I. Lonappan⁵, G. Luzzi⁶⁰, J. Macias-Perez⁶¹, B. Maffei⁶², E. Marchitelli³³, E. Martínez-González¹⁵, S. Masi^{33,34}, S. Matarrese^{16,17,18,63}, T. Matsumura³¹, S. Micheli³³, M. Migliaccio^{5,27}, M. Monelli²⁵, L. Montier⁶, G. Morgante¹⁴, L. Mousset^{4,6}, Y. Nagano⁵⁸, R. Nagata⁴³, P. Natoli^{12,13}, A. Novelli³³, F. Noviello⁵⁰, I. Obata³¹, A. Occhiuzzi³³, K. Odagiri⁴³, R. Omae⁵⁸, L. Pagano^{12,13,62}, A. Paiella^{33,34}, D. Paoletti^{14,51}, G. Pascual-Cisneros¹⁵, G. Patanchon⁴⁵, V. Pavlidou^{64,65}, F. Piacentini^{33,34}, M. Piat⁴⁵, G. Piccirilli⁵, M. Pinchera⁴⁰, G. Pisano³³, L. Porcelli³⁹, N. Raffuzzi¹², C. Raum²¹, M. Remazeilles^{15,28}, A. Ritacco^{27,4}, J. Rubino-Martin^{41,49}, M. Ruiz-Granda^{15,37}, Y. Sakurai^{66,31}, G. Savini⁶⁷, D. Scott⁵⁴, Y. Sekimoto^{43,68}, M. Shiraishi⁶⁶, G. Signorelli^{69,40}, S. L. Stever^{58,31}, R. M. Sullivan⁵⁴, A. Suzuki³⁰, R. Takaku^{3,43}, H. Takakura⁴³, S. Takakura³¹, Y. Takase⁵⁸, A. Tartari^{40,69}, K. Tassis^{64,65}, K. L. Thompson^{70,71}, M. Tomasi^{22,23}, M. Tristram⁵³, C. Tucker⁵⁰, L. Vacher⁹, B. van Tent⁵³, P. Vielva¹⁵, K. Watanuki⁴³, I. K. Wehus²⁰, B. Westbrook²¹, G. Weymann-Despres⁵³, B. Winter^{72,67}, E. J. Wollack⁴⁶, A. Zacchei⁷³, M. Zannoni^{48,38}, Y. Zhou¹
LiteBIRD Collaboration.

¹International Center for Quantum-field Measurement Systems for Studies of the Universe and Particles (QUP), High Energy Accelerator Research Organization (KEK), Tsukuba, Ibaraki 305-0801, Japan

²The Oskar Klein Centre, Department of Physics, Stockholm University, SE-106 91 Stockholm, Sweden

³The University of Tokyo, Department of Physics, Tokyo 113-0033, Japan

⁴Laboratoire de Physique de l'École Normale Supérieure, ENS, Université PSL, CNRS, Sorbonne Université, Université de Paris, 75005 Paris, France

⁵Dipartimento di Fisica, Università di Roma Tor Vergata, Via della Ricerca Scientifica, 1, 00133, Roma, Italy

⁶IRAP, Université de Toulouse, CNRS, CNES, UPS, Toulouse, France

⁷NIST Quantum Sensors Group, 325 Broadway, Boulder, CO 80305, USA

⁸Department of Astrophysical Sciences, Peyton Hall, Princeton University, Princeton, NJ, USA 08544

⁹International School for Advanced Studies (SISSA), Via Bonomea 265, 34136, Trieste, Italy

¹⁰INFN Sezione di Trieste, via Valerio 2, 34127 Trieste, Italy

¹¹IFPU, Via Beirut, 2, 34151 Grignano, Trieste, Italy

¹²Dipartimento di Fisica e Scienze della Terra, Università di Ferrara, Via Saragat 1, 44122 Ferrara, Italy

¹³INFN Sezione di Ferrara, Via Saragat 1, 44122 Ferrara, Italy

¹⁴INAF - OAS Bologna, via Piero Gobetti, 93/3, 40129 Bologna, Italy

¹⁵Instituto de Física de Cantabria (IFCA, CSIC-UC), Avenida los Castros SN, 39005, Santander, Spain

¹⁶Dipartimento di Fisica e Astronomia "G. Galilei", Università degli Studi di Padova, via Marzolo 8, I-35131 Padova, Italy

¹⁷INFN Sezione di Padova, via Marzolo 8, I-35131, Padova, Italy

¹⁸INAF, Osservatorio Astronomico di Padova, Vicolo dell'Osservatorio 5, I-35122, Padova, Italy

¹⁹School of Physics, Indian Institute of Science Education and Research Thiruvananthapuram, Maruthamala PO, Vithura, Thiruvananthapuram 695551, Kerala, India

²⁰Institute of Theoretical Astrophysics, University of Oslo, Blindern, Oslo, Norway

²¹University of California, Berkeley, Department of Physics, Berkeley, CA 94720, USA

²²Dipartimento di Fisica, Università degli Studi di Milano, Via Celoria 16 - 20133, Milano, Italy

- ²³ INFN Sezione di Milano, Via Celoria 16 - 20133, Milano, Italy
- ²⁴ Institut d'Astrophysique de Paris, CNRS/Sorbonne Université, Paris, France
- ²⁵ Max Planck Institute for Astrophysics, Karl-Schwarzschild-Str. 1, D-85748 Garching, Germany
- ²⁶ Excellence Cluster ORIGINS, Boltzmannstr. 2, 85748 Garching, Germany
- ²⁷ INFN Sezione di Roma2, Università di Roma Tor Vergata, via della Ricerca Scientifica, 1, 00133 Roma, Italy
- ²⁸ Jodrell Bank Centre for Astrophysics, Alan Turing Building, Department of Physics and Astronomy, School of Natural Sciences, The University of Manchester, Oxford Road, Manchester M13 9PL, UK
- ²⁹ University of California, Berkeley, Space Sciences Laboratory, Berkeley, CA 94720, USA
- ³⁰ Lawrence Berkeley National Laboratory (LBNL), Computational Cosmology Center, Berkeley, CA 94720, USA
- ³¹ Kavli Institute for the Physics and Mathematics of the Universe (Kavli IPMU, WPI), UTIAS, The University of Tokyo, Kashiwa, Chiba 277-8583, Japan
- ³² Centre Spatial de Liège, Université de Liège, Avenue du Pré-Aily, 4031 Angleur, Belgium
- ³³ Dipartimento di Fisica, Università La Sapienza, P. le A. Moro 2, Roma, Italy
- ³⁴ INFN Sezione di Roma, P.le A. Moro 2, 00185 Roma, Italy
- ³⁵ Institute of Particle and Nuclear Studies (IPNS), High Energy Accelerator Research Organization (KEK), Tsukuba, Ibaraki 305-0801, Japan
- ³⁶ CNRS-UCB International Research Laboratory, Centre Pierre Binétruy, UMI2007, Berkeley, CA 94720, USA
- ³⁷ Dpto. de Física Moderna, Universidad de Cantabria, Avda. los Castros s/n, E-39005 Santander, Spain
- ³⁸ INFN Sezione Milano Bicocca, Piazza della Scienza, 3, 20126 Milano, Italy
- ³⁹ Istituto Nazionale di Fisica Nucleare-Laboratori Nazionali di Frascati (INFN-LNF), Via E. Fermi 40, 00044, Frascati, Italy
- ⁴⁰ INFN Sezione di Pisa, Largo Bruno Pontecorvo 3, 56127 Pisa, Italy
- ⁴¹ Instituto de Astrofísica de Canarias, E-38200 La Laguna, Tenerife, Canary Islands, Spain
- ⁴² McGill University, Physics Department, Montreal, QC H3A 0G4, Canada
- ⁴³ Japan Aerospace Exploration Agency (JAXA), Institute of Space and Astronautical Science (ISAS), Sagamihara, Kanagawa 252-5210, Japan
- ⁴⁴ The Graduate University for Advanced Studies (SOKENDAI), Miura District, Kanagawa 240-0115, Hayama, Japan
- ⁴⁵ Université de Paris, CNRS, Astroparticule et Cosmologie, F-75013 Paris, France
- ⁴⁶ NASA Goddard Space Flight Center, Greenbelt, MD 20771, USA
- ⁴⁷ Lawrence Berkeley National Laboratory (LBNL), Physics Division, Berkeley, CA 94720, USA
- ⁴⁸ University of Milano Bicocca, Physics Department, p.zza della Scienza, 3, 20126 Milan, Italy
- ⁴⁹ Departamento de Astrofísica, Universidad de La Laguna (ULL), E-38206, La Laguna, Tenerife, Spain
- ⁵⁰ School of Physics and Astronomy, Cardiff University, Cardiff CF24 3AA, UK
- ⁵¹ INFN Sezione di Bologna, Viale C. Berti Pichat, 6/2 - 40127 Bologna, Italy
- ⁵² Center for Astrophysics and Space Astronomy, University of Colorado, Boulder, CO 80309, USA
- ⁵³ Université Paris-Saclay, CNRS/IN2P3, IJCLab, 91405 Orsay, France
- ⁵⁴ Department of Physics and Astronomy, University of British Columbia, 6224 Agricultural Road, Vancouver, BC V6T1Z1, Canada
- ⁵⁵ David A. Dunlap Department of Astronomy and Astrophysics, 50 St. George Street, Toronto, ON M5S3H4, Canada
- ⁵⁶ School of Physics and Astronomy, University of Minnesota, 115 Union St SE, Minneapolis, MN 55455, USA
- ⁵⁷ Nagoya University, Kobayashi-Masukawa Institute for the Origin of Particle and the Universe, Aichi 464-8602, Japan
- ⁵⁸ Okayama University, Department of Physics, Okayama 700-8530, Japan
- ⁵⁹ Institute for Photon Science and Technology, The University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo 113-0033, Japan
- ⁶⁰ Space Science Data Center, Italian Space Agency, via del Politecnico, 00133, Roma, Italy
- ⁶¹ Université Grenoble Alpes, CNRS, LPSC-IN2P3, 53, avenue des Martyrs, 38000 Grenoble, France
- ⁶² Université Paris-Saclay, CNRS, Institut d'Astrophysique Spatiale, 91405, Orsay, France
- ⁶³ Gran Sasso Science Institute (GSSI), Viale F. Crispi 7, I-67100, L'Aquila, Italy
- ⁶⁴ Institute of Astrophysics, Foundation for Research and Technology – Hellas, Vasilika Vouton, GR-70013 Heraklion, Greece
- ⁶⁵ Department of Physics and ITCP, University of Crete, GR-70013, Heraklion, Greece
- ⁶⁶ Suwa University of Science, Chino, Nagano 391-0292, Japan
- ⁶⁷ Physics and Astronomy Dept., University College London (UCL), UK
- ⁶⁸ The University of Tokyo, Department of Astronomy, Tokyo 113-0033, Japan
- ⁶⁹ Dipartimento di Fisica, Università di Pisa, Largo B. Pontecorvo 3, 56127 Pisa, Italy
- ⁷⁰ SLAC National Accelerator Laboratory, Kavli Institute for Particle Astrophysics and Cosmology (KIPAC), Menlo Park, CA 94025, USA

⁷¹Stanford University, Department of Physics, CA 94305-4060, USA

⁷²Mullard Space Science Laboratory, Department of Space and Climate Physics, University College London, Gower Street, WC1E 6BT, London, UK

⁷³INAF – Astronomical Observatory of Trieste, Via G. B. Tiepolo 11, 34143 Trieste, Italy

ABSTRACT

LiteBIRD, the next-generation cosmic microwave background (CMB) experiment, aims for a launch in Japan's fiscal year 2032, marking a major advancement in the exploration of primordial cosmology and fundamental physics. Orbiting the Sun-Earth Lagrangian point L2, this JAXA-led strategic L-class mission will conduct a comprehensive mapping of the CMB polarization across the entire sky. During its 3-year mission, *LiteBIRD* will employ three telescopes within 15 unique frequency bands (ranging from 34 through 448 GHz), targeting a sensitivity of $2.2\ \mu\text{K-arcmin}$ and a resolution of 0.5° at 100 GHz. Its primary goal is to measure the tensor-to-scalar ratio r with an uncertainty $\delta r = 0.001$, including systematic errors and margin. If $r \geq 0.01$, *LiteBIRD* expects to achieve a $> 5\sigma$ detection in the $\ell = 2\text{--}10$ and $\ell = 11\text{--}200$ ranges separately, providing crucial insight into the early Universe. We describe *LiteBIRD*'s scientific objectives, the application of systems engineering to mission requirements, the anticipated scientific impact, and the operations and scanning strategies vital to minimizing systematic effects. We will also highlight *LiteBIRD*'s synergies with concurrent CMB projects.

Keywords: *LiteBIRD*, cosmic inflation, cosmic microwave background, B -mode polarization, primordial gravitational waves, quantum gravity, space telescope

1. SCIENCE AND MISSION OVERVIEW

LiteBIRD,^{1–8} the Lite (Light) satellite for the study of B -mode polarization and Inflation from cosmic background Radiation Detection, is a space mission aimed at exploring primordial cosmology and fundamental physics through the study of B -mode polarization and inflation (a phase of rapid expansion in the early Universe) in the cosmic microwave background (CMB).^{9,10} The project began with preliminary conceptual studies in 2008 and was proposed as a candidate for a JAXA large-class (L-class) mission in 2015. The launch plan is to make use of the newly developed H3 rocket that recently entered service during a second launch attempt on 17 February 2024 from Tanegashima Space Center in Western Japan.

LiteBIRD successfully completed the mission definition review (MDR) in early 2024, after which the project will enter JAXA's phase A (pre-project phase) after undergoing the project readiness review (PRR). This phase is expected to last 3 years until the system definition review (SDR). The mission boasts a collaborative effort with over 250 researchers from Japan, North America, and Europe, including experts in CMB experiments, X-ray satellite missions, high-energy physics and astronomy. This large collaborative effort and broad expertise is needed because of the complexity of the challenge of measuring CMB B modes, as highlighted by the illustration in Figure 1.

As stated by the experiment top-level scientific requirement, *LiteBIRD*'s main target is the detection of CMB B modes, with the goal of constraining cosmic inflation with a total uncertainty ($\delta r = 0.001$), which will allow us to provide definite statements on many inflationary models. At the same time, *LiteBIRD*, by providing high-sensitivity full-sky data across a wide frequency range, has the potential to shed new light on some hints of possible physics beyond the standard model that have been reported by recent CMB experiments.

LiteBIRD is not alone in its quest for CMB B modes. In the next decade several ground-based experiments will observe the sky with the same goal.^{11,12} CMB B modes are regarded as the most sensitive tracer of cosmological inflation, which remains one of the big unanswered questions about the origin of all structure. Ground and space experiments should not be seen as competing with each other in this quest, but rather as complementary. The strength of a space mission resides in the availability of the full sky on short timescales, where large angular scales can be accessed efficiently, while ground-based experiments can target the smaller scales that are necessary to delens the data in order to achieve higher sensitivity to the primordial B -mode

Further author information: (Send correspondence to T.G.) E-mail: tommaso.ghigna@kek.jp




Figure 1. Illustration of the additive components contributing to the *LiteBIRD* data. These include instrumental noise, systematic effects, galactic and extragalactic sources, in addition to the primary scientific target: the faint primordial *B*-mode signal. Credits: Josquin Errard and 13.

signal. For these reasons, the *LiteBIRD* and CMB-S4¹² collaborations have recently established a common working group to test possible ways of combining the strengths of the two experiments with the goal of boosting the overall scientific output.

The SPIE 2024 conference includes detailed discussions on many aspects of *LiteBIRD*.^{14–38} From spacecraft components and operation to the physics of superconductive TES bolometers, from optical modeling and measurements to discussion of systematic effects and mitigation techniques, with this paper providing a concise overview of the mission and an update about schedule and some of the mission parameters after the end of MDR. This overview serves as an introduction to other *LiteBIRD* contributions and will focus on mission requirements, global design and operation, and scientific outcomes. In Section 2 we recap the top-level scientific requirements and explain the requirement flow-down philosophy. In Section 3 we give an update of the mission schedule following the recent outcome of the MDR. In Sections 4 and 5 we give an overview of the spacecraft and the payload and mission operations, respectively. In Section 6 we present the expected scientific outcomes of the mission, and in Section 7 we give a summary and conclusions.

2. REQUIREMENTS FLOW-DOWN

LiteBIRD's primary science target is the large angular scale CMB *B* modes. This polarized signal can be used as a tracer of the energy of inflation. The standard parameter is the tensor-to-scalar ratio (r) that measures the amplitude of tensor modes generated during inflation relative to the amplitude of scalar modes. At present only upper limits on r have been set, with the tightest constraint being $r < 0.032$ from a combined analysis of the Planck³⁹ and BICEP⁴⁰ data sets.⁴¹ This upper limit is already approaching the level where the primordial signal is expected to be fully dominated by the lensing signal (due to conversion of *E* modes to *B* modes through gravitational lensing from large-scale structures along the line of sight) for angular scales $\ell \gtrsim 100$. Therefore, only an experiment sensitive to larger scales $\ell \lesssim 100$ (which is very challenging from the ground) can hope to detect the primordial signal without requiring a delensing analysis. The goal in the next decade, not just for




Figure 2. Simplified schematic of the requirements flow-down (a) and verification plan (c), based on systems engineering concepts (b). We highlight the connection between requirements and the validation and verification cycle at each stage of the system development. For more details on this topic, see 14.

LiteBIRD, is to lower the limit by more than one order of magnitude to $r \sim 0.001$. This is not a purely arbitrary choice, but is physically motivated. At this level of uncertainty on r we should be able to confirm or rule out single-field models for which the characteristic scale of field-variation of the inflationary potential is larger than the reduced Planck mass.⁴²

In order to achieve the aforementioned goal, the *LiteBIRD* collaboration has decided to set two top-level scientific requirements (Level 1) to achieve the goal of the mission.^{7,8}

- 1. Total measurement uncertainty for tensor-to-scalar ratio r :** The mission shall measure r with a total uncertainty of $\delta r < 0.001$. This value shall include contributions from instrument statistical noise fluctuations, instrumental systematics, residual foregrounds, lensing B modes, and observer bias, and shall not rely on future external data sets.
- 2. Detection sensitivity for non-zero tensor-to-scalar ratio r :** The mission shall obtain full-sky CMB linear polarization maps for achieving $> 5\sigma$ significance using $2 \leq \ell \leq 10$ and $11 \leq \ell \leq 200$ separately, assuming $r = 0.01$ and adopting a fiducial optical depth of $\tau = 0.05$ for the calculation.

From these two top-level scientific requirements we follow a requirement analysis or flow-down to impose requirements on each component of the mission that allow us to satisfy the scientific requirements. While the lower level requirements are still being actively defined by the collaboration, the philosophy and framework are well established, as shown in Figure 2. This is a simplified schematic of the requirement flow-down and verification plan based on systems engineering concepts.⁴³ Starting from the left side of Figure 2a, we show the requirement flow-down philosophy for *LiteBIRD*. Level 1 describes the scientific requirements of the mission as mentioned above. Level 2 imposes measurement requirements to satisfy the scientific requirement at Level 1 without any assumptions on the instrument design. We have identified 11 Level 2 measurement requirements, which we will not report here because an extensive description can be found in 7,8. After the Level 2 requirements, we have to start making some decisions on the instrument design to define lower level requirements (system, sub-systems and components). Many trade-off studies on the design of the *LiteBIRD* system and sub-systems have been presented




Figure 3. *LiteBIRD* pre-flight schedule as of 2024. The top rows show the correspondence between the project phases and Japanese Fiscal Years (JFY). At the bottom the corresponding calendar year is indicated. Here we show the cadence of the major JAXA reviews, the main milestones and the stage of development of the service module (SVM) and payload modules (PLM), highlighting in particular the model-based development approach. Note, for example, that the PLM will be developed in three stages: design model (DM); engineering model (EM); and PFM (proto-flight model). This approach is adopted in an effort to reduce risks.

in the past years with the goal of optimizing the instrument performance without violating the requirements from the level above.

Figure 2b shows the relationship between requirement flow-down and system assembly, integration and verification (AIV). Figure 2c shows a simplified AIV scheme color-coded to highlight the responsible agency or institute.

3. MISSION SCHEDULE

As mentioned in the introduction, the *LiteBIRD* project originated more than 15 years ago, with initial conceptual studies in 2008, and was officially proposed as a candidate for JAXA large-class mission in 2015. In 2018 *LiteBIRD* completed a two-year long pre-phase A2 concept development phase that culminated in its selection in 2019 as the second JAXA strategic large-class mission.⁷

Since 2019 the project has been in JAXA pre-phase A2 stage to continue conceptual studies, which lasted until early 2024 and ended after a positive conclusion of the mission definition review (MDR). As of today, we are expecting completion of the project readiness review (PRR) and the official start of the JAXA pre-project phase (Phase A). As illustrated in Figure 3, the new launch date officially announced by JAXA, is expected to be at the end of Japanese Fiscal Year (JFY) 2032, which corresponds to the first quarter of calendar year 2033.

In Figure 3 we highlight the cadence of the major JAXA reviews, starting from the recent MDR. The other main JAXA reviews are the system requirement review (SRR), the system definition review (SDR), which will mark the end of phase A and beginning of the project phase, the preliminary design review (PDR), which will mark the end of phase B, the critical design review (CDR), the post-qualification test and pre-shipment reviews (PQR/PSR) that mark the end of phase D and the launch readiness review (LRR). We also show the main




Figure 4. (a) Schematic of the spacecraft. We highlight the payload module (PLM) and the service module (SVM) with the main components. (b) The reflective low-frequency telescope (LFT) and (c) the refractive mid- and high-frequency telescopes (MHFT). Figures adapted from [8,44,45](#).

milestones and the stage of development of the service module (SVM) and payload modules (PLM), highlighting in particular the model-based development approach. For example the PLM (and all its components) will be developed in three main stages: design model (DM); engineering model (EM); and flight model (FM).

This approach is adopted in an effort to reduce risk. To further minimise risk for certain critical (like the focal plane unit or FPU) or low TRL (technology readiness level) components, we also introduce an extra step corresponding in time with the STM stage, called the demonstration model (DM).

4. SPACECRAFT AND PAYLOAD

LiteBIRD's spacecraft structure features an axisymmetric design optimized for spinning. Placing the telescopes and solar panels at opposing ends, with the payload module (PLM) on top and the solar panels below, perpendicular to the spin axis. To mitigate interference with the telescopes, the high-gain antenna is positioned on the underside, opposite the mission instruments, pointing towards Earth. Figure 4 provides a visual representation of the spacecraft configuration.

The decision to have the entire spacecraft spin, rather than employing a slip-ring to rotate the PLM only, stemmed from various considerations. These included managing significant heat dissipation in the PLM and reducing single-point failure risks. The mechanical coolers in the PLM dissipate a substantial amount of heat, necessitating a radiator size that fits in the service module (SVM). Additionally, transferring heat from the spinning PLM to a non-spinning SVM via a slip-ring was deemed challenging due to concerns about potential micro-vibrations and increased detector noise. Consequently, rotation of the entire spacecraft has been adopted as the baseline.

The spacecraft's center accommodates a truss structure, which transfers the PLM launch load to the rocket and houses the fuel tank for efficient use of the inner space. Electrical components of both the SVM and PLM are located within the SVM side panels, with PLM components preferably positioned on the upper parts and




Figure 5. (a) Diagram depicting the thermal environment of the payload module (PLM). The Sun-shield delimits the service module (SVM) from the PLM and reduces the thermal loading on the PLM. A series of three V-grooves is employed in combination with two-stage Sterling coolers (2ST) to cool the PLM below 30 K. Active cooling (combination of Joule-Thomson (JT) and adiabatic demagnetization refrigerators) is used to set the temperature of the coldest stages all the way to the 100 mK required for the focal plane units (FPU). (b) Diagram of the cooling system. Figures are adapted from 46. Most acronyms are explained throughout the text, but here is a list of those that are not explained elsewhere: JTCH = JT compressor for high-pressure stage; JTCM = JT compressor for medium-pressure stage; JTCL = JT compressor for low-pressure stage; JTD = JT cooler driver; PC = precooler; PCD = precooler driver; SC = shield cooler; and SCD = shield cooler driver.

SVM components on the lower parts. Radiators on the outer sides of the upper panel parts dissipate heat from the PLM, including that generated by mechanical coolers and electronic boxes.

While spinning, *LiteBIRD* employs an attitude control system to stabilize the satellite for precise attitude control and determination. The low spin rate (nominal 0.05 rpm) allows for this operational mode. The spacecraft's estimated total weight, including fuel, is 3200 kg, and requires an estimated 3.7 kW to power the whole system. The data transfer occurs at a rate of 10 Mbit/s using the X-band antenna positioned on the opposite side of the spacecraft with respect to the payload and facing Earth. We estimate a total of 17.9 GB of scientific and house-keeping data transmitted daily. Two JAXA ground stations are being currently considered for communication with the *LiteBIRD* spacecraft, a planned successor station to Uchinoura Space Center 34 meters antenna and Misasa deep space station. The former may be used for telemetry and commands and down-link of the mission data, and the latter for telemetry and commands. Use of ESA (European Space Agency) stations for initial and critical operations is also being considered.

All the parameters and information discussed here (summarized in Table 1) are up to date as of early 2024 (post MDR), although they may be subject to change, since the spacecraft's conceptual design could still evolve and more detailed estimates will be available.

Figure 4 provides an overview of *LiteBIRD*'s three telescopes mounted on the payload module. The *LiteBIRD* payload module comprises three telescopes operating at low- (LFT), medium- (MFT), and high-frequencies (HFT), each with its focal planes and cryostructure cooled to 0.1 K. The payload module also includes the global cooling chain shown in Figure 5. This includes a Sun shield (which also marks the interface between the SVM and the PLM), the three V-grooves and a series of 2STs that are necessary to cool the PLM from 300 K to below about 30 K. A combination of 2STs, Joule-Thomson coolers, and adiabatic demagnetization refrigerators is employed to cool the coldest stages to the sub-Kelvin temperatures required by the detector and readout components of the three focal-plane units.

The reason for dividing the detectors between three different telescopes stems from technical challenges related to sensitivity, optical properties, stability, and compactness across a wide frequency range of 34 to 448 GHz. One of the main challenges is robust control of systematic effects and the crucial minimization of $1/f$ noise.




Figure 6. *LiteBIRD* polarization sensitivity per frequency channel color-coded per telescope. For reference we show the expected frequency dependence of CMB, synchrotron, and dust spectra. Figure adapted from 8.

A pivotal technical decision for *LiteBIRD* was the decision to employ a continuously-rotating half-wave plate (HWP) as the first optical element of each telescope in the polarization modulation unit (PMU). The rotating HWP allows us to differentiate between the spurious polarization signal generated within the instrument and the sky polarized signal. In this scheme, the sky signal is exclusively modulated at a frequency equal to $4 \times$ the rotation frequency of the HWP (f_{HWP}).

This technique can significantly reduce intensity-to-polarization leakage,^{47–49} enabling polarization measurements using a single detector. In addition, the continuously-rotating HWP effectively suppresses $1/f$ noise because of the up-conversion of the signal of interests to a frequency range higher than the f_{knee} of the $1/f$ noise spectrum. The decision to adopt rotating HWPs is the result of trade-off studies between cases with and without the HWP, including simulations of polarization effects due to HWP imperfections.⁸

The distribution of bands and their optimization across the *LiteBIRD* frequency range of 34–448 GHz has been carefully evaluated to address various constraints. The most pressing of these constraints is ensuring appropriate spectral bandwidth and sensitivity to correctly characterize the spectral energy distribution of Galactic foreground sources, namely synchrotron and thermal dust.⁵⁰ However several more issues have been taken into consideration, like optimizing spectral mapping of CO lines,^{39,51} and controlling systematic effects through band and instrument overlap that result in redundancy in the data. These trade-off studies resulted in the current baseline configuration with a reflective telescope for low frequencies (LFT, 34–161 GHz) resulting in a $18^\circ \times 8^\circ$ field-of-view (FoV) and two refractive telescopes for middle and high frequencies (MFT, 89–225 GHz; HFT, 166–448 GHz) both with a 28° (diameter) field-of-view. As visible in Figure 4 the telescope mounting configuration in the PLM guarantees coverage of the same circle on the sky with a 180° lag between LFT and MHFT.

The polarization sensitivity⁵² per frequency channel has not changed since the publication of 8, therefore we avoid reporting a complete table here; instead a summary of the sensitivity per frequency channel (color-coded by telescope) can be found in Figure 6.

An overview of the three telescope focal plane units is shown in Figure 7. The schematic shows the three focal plane units with their respective mechanical assembly, and the distinction between the technology adopted for LFT and MFT, lenslet-coupled sinuous antennas, and the one adopted for HFT, horn-coupled OMTs (orthomode-transducer). All detectors are polarization sensitive and, with the exception of the highest frequency channel of HFT, they are all multichroic (either dichroic or trichroic) and employ transition-edge sensor (TES) detectors to




Figure 7. Visual summary of the three focal plane units of *LiteBIRD*. LFT and MFT employ lenslet-coupled sinuous-antenna pixels, while HFT employs horn-coupled OMT (orthomode-transducer) pixels. In the bottom panels we give a visual description of the frequency coverage for the three focal planes and of the frequency channel distribution, as well as the total number and type of pixel and total number of bolometers.

detect the signal, for a total of 4508 TES bolometers. More details on the design and fabrication of these devices are covered extensively in 53–56. Given the large number of detectors to be read together, we have adopted frequency-domain multiplexing as the baseline readout technology. In particular, the *LiteBIRD* team is making use of the extensive knowledge accumulated by members of our team in the early development of the digital frequency-domain multiplexing (DfMux)⁵⁷ technology.

The *LiteBIRD* project has meticulously planned assembly, integration, verification (AIV), and pre-launch calibration, with a focus on a common calibration approach for the LFT and MHFT instruments. Systematic parameter measurements are derived from detailed systematic effect studies, characterizing performance at the component level and integrating data into an instrument model for in-flight performance forecasting. Instrument-level calibration will be conducted independently in a cold flight-like environment, with ground-calibration operations targeted at ensuring high accuracy for certain parameters. Post-flight analysis mitigation strategies are considered as a potential safeguard, alongside ongoing hardware developments⁵⁸ and calibration plan refinements throughout the project evolution. A simplified AIV plan is shown in Figure 2c.

5. OPERATION

As already mentioned in Section 1, we will utilize JAXA H3 rocket to launch *LiteBIRD* and put the spacecraft into orbit around the second Sun-Earth Lagrangian point (L2). This location is pivotal to attain a full-sky survey because of its particular location away from the Sun. A Lissajous orbit has been chosen because of its superior thermal conditions compared to a halo orbit.

With the chosen scan strategy (see Figure 8), the spacecraft spins around its major axis at a rate of 0.05 rpm, equivalent to a period of 20 minutes. The spacecraft spin is combined with a precession of the spin axis around the anti-Sun direction. The precession rate is much slower than the spin rate and the baseline period has been chosen to be 3.2058 hours. This irrational number has been identified and adopted to prevent synchronization




Figure 8. Visual summary of *LiteBIRD* scan strategy, which results from the combination of spin around the major axis of the spacecraft and precession of the spin axis around the anti-Sun direction. In the bottom left the expected hit-map for the whole duration of the mission (3 years) resulting from the baseline scan strategy (combined for all detectors). We can observe the high level of uniformity across most of the sky. Details of the size of the field-of-view (FoV) for all three telescopes can be found in Section 4.

issues between the spin and precession that could result in artefacts in the hit-map and cross-linking maps which may give rise to systematic features.⁴⁷ The spin axis is inclined at an angle $\alpha = 45^\circ$ from the anti-Sun direction, while the angle β between the telescopes boresight and the spin axis is 50° .

This scan strategy must meet several requirements, including high thermal stability, uniformity in the distribution of boresight pointing across each sky pixel (cross-linking), observational uniformity across sky pixels (hit-map), large fraction of sky observed daily, and short revisit times for each sky pixel. These requirements are important for mitigation of several instrumental systematic uncertainties.

6. SCIENTIFIC OUTCOMES

The *LiteBIRD* collaboration has published in recent years several studies highlighting *LiteBIRD* significant discovery potential, not only when it comes to inflation, but also for other cosmological observables. Details of forecasts of *LiteBIRD* scientific output are presented in 8. However, in the past year more studies have been performed on the lensing analysis,^{59,60} primordial magnetic fields,⁶¹ inflationary models,⁶² and more.

In doing so *LiteBIRD* members are contributing also to the advancement of data analysis techniques. For example when it comes to foreground cleaning (a pivotal step for cosmological forecasting as well as future data analysis), *LiteBIRD* is the driving force behind several developments to advance both parametric⁶³ and blind component-separation methods.⁶⁴ In particular, a lot of emphasis has been put in recent years on techniques that allow us to better account for the complexity of foreground by dividing the sky into patches with the same spectral properties, the so called multi-clustering methods.^{65–67} Similarly, methods that can take into account the complexity of certain systematic effects are being developed based on the accuracy that will be required by *LiteBIRD*.^{49,68,69}




Figure 9. Angular power spectrum summary of the current status of CMB anisotropy results, along with the forecast for *LiteBIRD*. Figure adapted from 8.

For the official cosmological forecasts, we used the polarization sensitivities in Figure 6 and applied the method described in 70 for foreground cleaning.⁸ Our simulations showed that this design can achieve a total statistical uncertainty $\sigma_{\text{stat}} = 0.6 \times 10^{-3}$ for a tensor-to-scalar ratio $r = 0$ as input.

As reported in 8, we adopted a systematic approach to estimate systematic uncertainties, identifying 70 items across 14 categories. The *LiteBIRD* team members are constantly working to update this list as new items are identified. We begun our analysis with a simple assumption, where each item is allocated 1% of the total budget based for systematic uncertainty ($\sigma_{\text{syst}} = 0.57 \times 10^{-3}$).

At present, in our cosmological forecasts, we do not assume combinations of *LiteBIRD* data with external data sets. However, we expect that by combining ground-based projects and space observations better constraints will be obtained. Combining these data, we aim to improve the constraint on the tensor-to-scalar ratio beyond $\delta r < 0.001$ for $2 \leq \ell \leq 200$. For this reason *LiteBIRD* and CMB-S4 have established an MoU (Memorandum of Understanding) to produce joint studies and scientific forecasts.

LiteBIRD requirements are derived from tensor-to-scalar ratio measurements alone. Once observations are successfully carried out according to our Level 1 requirements, *LiteBIRD* data will certainly be used to study additional topics in cosmology, particle physics, and astronomy, including for example cosmic birefringence, thermal Sunyaev-Zeldovich effects, elucidating large-angle anomalies, and Galactic astrophysics.

7. CONCLUSIONS

LiteBIRD was selected by JAXA in May 2019 as a strategic large-class (L-class) mission. After recently passing one of the many review steps (MDR), it will soon enter the formal pre-project phase (JAXA Phase A). This phase will last around 3 years and its main focus will be further consolidation of the mission requirements and

Item	Specification
Science requirement	$\delta r < 0.001$ for $2 \lesssim \ell \lesssim 200$
Target launch	JFY 2032 (First quarter of 2033)
Launch vehicle	JAXA H3 Rocket
Observation time	3 years
Orbit	Sun-Earth Lagrangian point L2 Lissajous orbit
Satellite spin	Angle $\beta = 50^\circ$ – Period = 20 minutes
Satellite precession	Angle $\alpha = 45^\circ$ – Period = 3.2058 hours
PMU revolution rate	46/39/61 rpm for LFT/MFT/HFT
Sampling rate	19 Hz
Observing frequency	34–448 GHz
Number of distinct frequency bands	15
Polarization sensitivity	$2.2 \mu\text{K-arcmin}$
Angular resolution	0.5° (FWHM of LFT 100 GHz)
Detectors	Antenna-coupled TES bolometers
Readout	Frequency-domain multiplexing (DfMux)
Optics	Reflective cross-Dragone (LFT) – Refractive (MFT/HFT)
Modulation	PMU with sapphire HWP (LFT) – metalmesh HWP (MFT/HFT)
Focal plane temperature	100 mK (V-grooves – ST-JT – ADR cooling chain)
Data rate	17.9 GB day^{-1}
Mass	3200 kg
Power	3.7 kW

Table 1. Summary table of the updated *LiteBIRD* design parameters.

technological readiness demonstration. At the end of this period the official project phase will begin and the launch is currently expected at the end of Japanese Fiscal Year 2032 (early 2033 in calendar years). The mission is being developed by the *LiteBIRD* Joint Study Group, comprising more than 250 researchers from Japan, North America, and Europe.

LiteBIRD aims to map the cosmic microwave background (CMB) polarization across the entire sky with unprecedented precision. Its primary scientific goal is to conduct a high-sensitivity search for the signal from cosmic inflation, either confirming its existence or ruling out well-motivated inflationary models. The measurements from *LiteBIRD* have the potential to probe other physics beyond the standard models of particle physics and cosmology.

To meet its essential science requirement of $\delta r < 0.001$, *LiteBIRD* will conduct full-sky surveys for three years from the Sun-Earth Lagrangian point L2. It will utilize 15 frequency bands ranging from 34 to 448 GHz, divided between three telescopes, achieving a total sensitivity of $2.2 \mu\text{K-arcmin}$ and a typical angular resolution of 0.5° at 100 GHz.

The project has recently successfully undergone JAXA mission definition review (MDR) and we expect soon an announcement of the official start of Phase A from JAXA. Some of the mission parameters have been updated and a summary is given in Table 1

ACKNOWLEDGMENTS

This work is supported in Japan by ISAS/JAXA for Pre-Phase A2 studies, by the acceleration program of JAXA research and development directorate, by the World Premier International Research Center Initiative (WPI) of MEXT, by the JSPS Core-to-Core Program of A. Advanced Research Networks, and by JSPS KAKENHI Grant Numbers JP15H05891, JP17H01115, and JP17H01125. The Canadian contribution is supported by the Canadian Space Agency. The French *LiteBIRD* phase A contribution is supported by the Centre National d’Etudes Spatiale (CNES), by the Centre National de la Recherche Scientifique (CNRS), and by the Commissariat à l’Energie Atomique (CEA). The German participation in *LiteBIRD* is supported in part by the Excellence Cluster ORIGINS, which is funded by the Deutsche Forschungsgemeinschaft (DFG, German Research

Foundation) under Germany's Excellence Strategy (Grant No. EXC-2094 - 390783311). The Italian *LiteBIRD* phase A contribution is supported by the Italian Space Agency (ASI Grants No. 2020-9-HH.0 and 2016-24-H.1-2018), the National Institute for Nuclear Physics (INFN) and the National Institute for Astrophysics (INAF). Norwegian participation in *LiteBIRD* is supported by the Research Council of Norway (Grant No. 263011) and has received funding from the European Research Council (ERC) under the Horizon 2020 Research and Innovation Programme (Grant agreement No. 772253 and 819478). The Spanish *LiteBIRD* phase A contribution is supported by MCIN/AEI/10.13039/501100011033, project refs. PID2019-110610RB-C21, PID2020-120514GB-I00, PID2022-139223OB-C21 (funded also by European Union NextGenerationEU/PRTR), and by MCIN/CDTI ICTP20210008 (funded also by EU FEDER funds). Funds that support contributions from Sweden come from the Swedish National Space Agency (SNSA/Rymdstyrelsen) and the Swedish Research Council (Reg. no. 2019-03959). The UK *LiteBIRD* contribution is supported by the UK Space Agency under grant reference ST/Y006003/1 - "*LiteBIRD* UK: A major UK contribution to the *LiteBIRD* mission - Phase1 (March 25)" The US contribution is supported by NASA grant no. 80NSSC18K0132. TG acknowledges the support of JSPS KAKENHI Grant Number 22K14054.

REFERENCES

- [1] Hazumi, M., "Jumping into CMB polarization measurements - a new group at KEK," in [*KEK CosmoPhysics Group Inaugural Conference "Accelerators in the Universe"*], Kodama, H. and Ioka, K., eds., *A.I.P. Conf. Ser.* **1040**, 78–88 (Aug. 2008).
- [2] Hazumi, M., "Future CMB Polarization Measurements and Japanese Contributions," *Progress of Theoretical Physics Supplement* **190**, 75–89 (Jan. 2011).
- [3] Hazumi, M., Borrill, J., Chinone, Y., Dobbs, M. A., Fuke, H., Ghribi, A., Hasegawa, M., Hattori, K., Hattori, M., Holzappel, W. L., Inoue, Y., Ishidoshio, K., Ishino, H., Karatsu, K., Katayama, N., Kawano, I., Kibayashi, A., Kibe, Y., Kimura, N., Koga, K., Komatsu, E., Lee, A. T., Matsuhara, H., Matsumura, T., Mima, S., Mitsuda, K., Morii, H., Murayama, S., Nagai, M., Nagata, R., Nakamura, S., Natsume, K., Nishino, H., Noda, A., Noguchi, T., Ohta, I., Otani, C., Richards, P. L., Sakai, S., Sato, N., Sato, Y., Sekimoto, Y., Shimizu, A., Shinozaki, K., Sugita, H., Suzuki, A., Suzuki, T., Tajima, O., Takada, S., Takagi, Y., Takei, Y., Tomaru, T., Uzawa, Y., Watanabe, H., Yamasaki, N., Yoshida, M., Yoshida, T., and Yotsumoto, K., "LiteBIRD: a small satellite for the study of B-mode polarization and inflation from cosmic background radiation detection," in [*Space Telescopes and Instrumentation 2012: Optical, Infrared, and Millimeter Wave*], Clampin, M. C., Fazio, G. G., MacEwen, H. A., and Oschmann, Jacobus M., J., eds., *Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series* **8442**, 844219 (Sept. 2012).
- [4] Matsumura, T., Akiba, Y., Borrill, J., Chinone, Y., Dobbs, M., Fuke, H., Ghribi, A., Hasegawa, M., Hattori, K., Hattori, M., Hazumi, M., Holzappel, W., Inoue, Y., Ishidoshio, K., Ishino, H., Ishitsuka, H., Karatsu, K., Katayama, N., Kawano, I., Kibayashi, A., Kibe, Y., Kimura, K., Kimura, N., Koga, K., Kozu, M., Komatsu, E., Lee, A., Matsuhara, H., Mima, S., Mitsuda, K., Mizukami, K., Morii, H., Morishima, T., Murayama, S., Nagai, M., Nagata, R., Nakamura, S., Naruse, M., Natsume, K., Nishibori, T., Nishino, H., Noda, A., Noguchi, T., Ogawa, H., Oguri, S., Ohta, I., Otani, C., Richards, P., Sakai, S., Sato, N., Sato, Y., Sekimoto, Y., Shimizu, A., Shinozaki, K., Sugita, H., Suzuki, T., Suzuki, A., Tajima, O., Takada, S., Takakura, S., Takei, Y., Tomaru, T., Uzawa, Y., Wada, T., Watanabe, H., Yoshida, M., Yamasaki, N., Yoshida, T., and Yotsumoto, K., "Mission Design of LiteBIRD," *Journal of Low Temperature Physics* **176**, 733–740 (Sept. 2014).
- [5] Matsumura, T., Akiba, Y., Borrill, J., Chinone, Y., Dobbs, M., Fuke, H., Hasegawa, M., Hattori, K., Hattori, M., Hazumi, M., Holzappel, W., Hori, Y., Inatani, J., Inoue, M., Inoue, Y., Ishidoshio, K., Ishino, H., Ishitsuka, H., Karatsu, K., Kashima, S., Katayama, N., Kawano, I., Kibayashi, A., Kibe, Y., Kimura, K., Kimura, N., Komatsu, E., Kozu, M., Koga, K., Lee, A., Matsuhara, H., Mima, S., Mitsuda, K., Mizukami, K., Morii, H., Morishima, T., Nagai, M., Nagata, R., Nakamura, S., Naruse, M., Namikawa, T., Natsume, K., Nishibori, T., Nishijo, K., Nishino, H., Noda, A., Noguchi, T., Ogawa, H., Oguri, S., Ohta, I. S., Okada, N., Otani, C., Richards, P., Sakai, S., Sato, N., Sato, Y., Segawa, Y., Sekimoto, Y., Shinozaki, K., Sugita, H., Suzuki, A., Suzuki, T., Tajima, O., Takada, S., Takakura, S., Takei, Y., Tomaru, T., Uzawa, Y., Wada, T., Watanabe, H., Yamada, Y., Yamaguchi, H., Yamasaki, N., Yoshida, M., Yoshida, T., and Yotsumoto, K., "LiteBIRD: mission overview and design tradeoffs," in [*Space Telescopes and Instrumentation 2014:*

Optical, Infrared, and Millimeter Wave], Oschmann, Jacobus M., J., Clampin, M., Fazio, G. G., and MacEwen, H. A., eds., *Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series* **9143**, 91431F (Aug. 2014).

- [6] Suzuki, A., Ade, P. A. R., Akiba, Y., Alonso, D., Arnold, K., Aumont, J., Baccigalupi, C., Barron, D., Basak, S., Beckman, S., Borrill, J., Boulanger, F., Bucher, M., Calabrese, E., Chinone, Y., Cho, S., Crill, B., Cukierman, A., Curtis, D. W., de Haan, T., Dobbs, M., Dominjon, A., Dotani, T., Duband, L., Ducout, A., Dunkley, J., Duval, J. M., Elleflot, T., Eriksen, H. K., Errard, J., Fischer, J., Fujino, T., Funaki, T., Fuskeland, U., Ganga, K., Goeckner-Wald, N., Grain, J., Halverson, N. W., Hamada, T., Hasebe, T., Hasegawa, M., Hattori, K., Hattori, M., Hayes, L., Hazumi, M., Hidehira, N., Hill, C. A., Hilton, G., Hubmayr, J., Ichiki, K., Iida, T., Imada, H., Inoue, M., Inoue, Y., Irwin, K. D., Ishino, H., Jeong, O., Kanai, H., Kaneko, D., Kashima, S., Katayama, N., Kawasaki, T., Kernasovskiy, S. A., Keskitalo, R., Kibayashi, A., Kida, Y., Kimura, K., Kisner, T., Kohri, K., Komatsu, E., Komatsu, K., Kuo, C. L., Kurinsky, N. A., Kusaka, A., Lazarian, A., Lee, A. T., Li, D., Linder, E., Maffei, B., Mangilli, A., Maki, M., Matsumura, T., Matsuura, S., Meilhan, D., Mima, S., Minami, Y., Mitsuda, K., Montier, L., Nagai, M., Nagasaki, T., Nagata, R., Nakajima, M., Nakamura, S., Namikawa, T., Naruse, M., Nishino, H., Nitta, T., Noguchi, T., Ogawa, H., Oguri, S., Okada, N., Okamoto, A., Okamura, T., Otani, C., Patanchon, G., Pisano, G., Rebeiz, G., Remazeilles, M., Richards, P. L., Sakai, S., Sakurai, Y., Sato, Y., Sato, N., Sawada, M., Segawa, Y., Sekimoto, Y., Seljak, U., Sherwin, B. D., Shimizu, T., Shinozaki, K., Stompor, R., Sugai, H., Sugita, H., Suzuki, J., Tajima, O., Takada, S., Takaku, R., Takakura, S., Takatori, S., Tanabe, D., Taylor, E., Thompson, K. L., Thorne, B., Tomaru, T., Tomida, T., Tomita, N., Tristram, M., Tucker, C., Turin, P., Tsujimoto, M., Uozumi, S., Utsunomiya, S., Uzawa, Y., Vansyngel, F., Wehus, I. K., Westbrook, B., Willer, M., Whitehorn, N., Yamada, Y., Yamamoto, R., Yamasaki, N., Yamashita, T., and Yoshida, M., “The LiteBIRD Satellite Mission: Sub-Kelvin Instrument,” *Journal of Low Temperature Physics* **193**, 1048–1056 (Dec. 2018).
- [7] Hazumi, M., Ade, P. A. R., Adler, A., Allys, E., Arnold, K., Auguste, D., Aumont, J., Aurlien, R., Austermann, J., Baccigalupi, C., Banday, A. J., Banjeri, R., Barreiro, R. B., Basak, S., Beall, J., Beck, D., Beckman, S., Bermejo, J., de Bernardis, P., Bersanelli, M., Bonis, J., Borrill, J., Boulanger, F., Bounissou, S., Brilenkov, M., Brown, M., Bucher, M., Calabrese, E., Campeti, P., Carones, A., Casas, F. J., Challinor, A., Chan, V., Cheung, K., Chinone, Y., Cliche, J. F., Colombo, L., Columbro, F., Cubas, J., Cukierman, A., Curtis, D., D’Alessandro, G., Dachlythra, N., De Petris, M., Dickinson, C., Diego-Palazuelos, P., Dobbs, M., Dotani, T., Duband, L., Duff, S., Duval, J. M., Ebisawa, K., Elleflot, T., Eriksen, H. K., Errard, J., Essinger-Hileman, T., Finelli, F., Flauger, R., Franceschet, C., Fuskeland, U., Galloway, M., Ganga, K., Gao, J. R., Genova-Santos, R., Gerbino, M., Gervasi, M., Ghigna, T., Gjerløw, E., Gradziel, M. L., Grain, J., Grupp, F., Gruppuso, A., Gudmundsson, J. E., de Haan, T., Halverson, N. W., Hargrave, P., Hasebe, T., Hasegawa, M., Hattori, M., Henrot-Versillé, S., Herman, D., Herranz, D., Hill, C. A., Hilton, G., Hirota, Y., Hivon, E., Hlozek, R. A., Hoshino, Y., de la Hoz, E., Hubmayr, J., Ichiki, K., Iida, T., Imada, H., Ishimura, K., Ishino, H., Jaehnig, G., Kaga, T., Kashima, S., Katayama, N., Kato, A., Kawasaki, T., Keskitalo, R., Kisner, T., Kobayashi, Y., Kogiso, N., Kogut, A., Kohri, K., Komatsu, E., Komatsu, K., Konishi, K., Krachmalnicoff, N., Kreykenbohm, I., Kuo, C. L., Kushino, A., Lamagna, L., Lanen, J. V., Lattanzi, M., Lee, A. T., Leloup, C., Levrier, F., Linder, E., Louis, T., Luzzi, G., Maciaszek, T., Maffei, B., Maino, D., Maki, M., Mandelli, S., Martinez-Gonzalez, E., Masi, S., Matsumura, T., Mennella, A., Migliaccio, M., Minami, Y., Mitsuda, K., Montgomery, J., Montier, L., Morgante, G., Mot, B., Murata, Y., Murphy, J. A., Nagai, M., Nagano, Y., Nagasaki, T., Nagata, R., Nakamura, S., Namikawa, T., Natoli, P., Nerval, S., Nishibori, T., Nishino, H., Noviello, F., O’Sullivan, C., Ogawa, H., Ogawa, H., Oguri, S., Ohsaki, H., Ohta, I. S., Okada, N., Okada, N., Pagano, L., Paiella, A., Paoletti, D., Patanchon, G., Peloton, J., Piacentini, F., Pisano, G., Polenta, G., Poletti, D., Prouvé, T., Puglisi, G., Rambaud, D., Raum, C., Realini, S., Reinecke, M., Remazeilles, M., Ritacco, A., Roudil, G., Rubino-Martin, J. A., Russell, M., Sakurai, H., Sakurai, Y., Sandri, M., Sasaki, M., Savini, G., Scott, D., Seibert, J., Sekimoto, Y., Sherwin, B., Shinozaki, K., Shiraishi, M., Shirron, P., Signorelli, G., Smecher, G., Stever, S., Stompor, R., Sugai, H., Sugiyama, S., Suzuki, A., Suzuki, J., Svalheim, T. L., Switzer, E., Takaku, R., Takakura, H., Takakura, S., Takase, Y., Takeda, Y., Tartari, A., Taylor, E., Terao, Y., Thommesen, H., Thompson, K. L., Thorne, B., Toda, T., Tomasi, M., Tominaga, M., Trappe, N., Tristram, M., Tsuji, M., Tsujimoto, M., Tucker, C., Ullom, J., Vermeulen, G.,

- Vielva, P., Villa, F., Vissers, M., Vittorio, N., Wehus, I., Weller, J., Westbrook, B., Wilms, J., Winter, B., Wollack, E. J., Yamasaki, N. Y., Yoshida, T., Yumoto, J., Zannoni, M., and Zonca, A., “LiteBIRD satellite: JAXA’s new strategic L-class mission for all-sky surveys of cosmic microwave background polarization,” in [*Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series*], *Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series* **11443**, 114432F (Dec. 2020).
- [8] LiteBIRD Collaboration, “Probing cosmic inflation with the LiteBIRD cosmic microwave background polarization survey,” *Progress of Theoretical and Experimental Physics* **2023**, 042F01 (Apr. 2023).
- [9] Kamionkowski, M., Kosowsky, A., and Stebbins, A., “A probe of primordial gravity waves and vorticity,” *Phys. Rev. Lett.* **78**, 2058–2061 (Mar 1997).
- [10] Zaldarriaga, M. and Seljak, U. c. v., “All-sky analysis of polarization in the microwave background,” *Phys. Rev. D* **55**, 1830–1840 (Feb 1997).
- [11] Ade, P. et al., “The Simons Observatory: science goals and forecasts,” *JCAP* **2019**, 056 (Feb. 2019).
- [12] Abazajian, K. et al., “CMB-S4: Forecasting Constraints on Primordial Gravitational Waves,” *ApJ* **926**, 54 (Feb. 2022).
- [13] “Scipol: Science from the large scale cosmic microwave background polarization structure,” <https://scipol.in2p3.fr>.
- [14] Kaneko, D. et al., “Systems engineering support on the detector subsystem of the litebird low-frequency telescope in the pre-phase a and phase a,” in [*in preparation for SPIE*], (2024).
- [15] Roudil, G. et al., “Design and mechanical analysis for litebird mhft,” in [*in preparation for SPIE*], (2024).
- [16] de Haan, T. et al., “Mntes: a method for modeling non-linearity of tes detectors,” in [*in preparation for SPIE*], (2024).
- [17] Raum, C. et al., “Fabrication of low frequency detector arrays with integrated cosmic ray mitigation structures for the litebird cmb experiment,” in [*in preparation for SPIE*], (2024).
- [18] Farias, N. et al., “Development of litebird’s cold readout sub-assembly,” in [*in preparation for SPIE*], (2024).
- [19] Ghigna, T. et al., “Development of the low frequency telescope focal plane detector arrays for litebird,” in [*in preparation for SPIE*], (2024).
- [20] Takaku, R. et al., “Demonstration of customized breadboard model of the polarization modulator using 330 mm diameter sapphire-based achromatic half-wave plate for litebird,” in [*in preparation for SPIE*], (2024).
- [21] Akizawa, R. et al., “Experimental identification of heat dissipation of the cryogenic stepping motor with high-purity copper wire for litebird pmu,” in [*in preparation for SPIE*], (2024).
- [22] Maestre, S. et al., “Electrical architecture and development of the digital processing unit of the payload onboard the litebird space mission,” in [*in preparation for SPIE*], (2024).
- [23] Matsuda, F. et al., “Sidelobe optical simulations of the litebird low frequency telescope and payload module,” in [*in preparation for SPIE*], (2024).
- [24] Micheli, S. et al., “Systematic effects induced by half-wave plate differential optical load and tes non-linearity for litebird,” in [*in preparation for SPIE*], (2024).
- [25] Columbro, F. et al., “The polarization modulator unit for the medium and high frequency telescopes of litebird space mission: breadboard characterization and design,” in [*in preparation for SPIE*], (2024).
- [26] Takakura, H. et al., “Antenna pattern measurements of a litebird low-frequency telescope scaled antenna in a cryogenic chamber,” in [*in preparation for SPIE*], (2024).
- [27] Matsumura, T. et al., “Breadboard model assembly and characterization of a sapphire achromatic half-wave plate for litebird low-frequency telescope,” in [*in preparation for SPIE*], (2024).
- [28] Occhiuzzi, A. et al., “Technical feasibility of absorbers for the litebird mhft telescopes,” in [*in preparation for SPIE*], (2024).
- [29] Takahashi, R. et al., “Investigation of holographic phase-retrieval methods for near-field measurement of telescopes with bolometric detectors,” in [*in preparation for SPIE*], (2024).
- [30] Mot, B. et al., “Near field and holographic phase retrieval characterizations of the litebird medium and high frequency telescopes optical prototype,” in [*in preparation for SPIE*], (2024).
- [31] Miura, F. et al., “Near field reflection measurements of lightweight absorbers in the millimeter-wavelengths for space missions,” in [*in preparation for SPIE*], (2024).

- [32] Oguri, S. et al., “Mitigation of infrared radiation entering litebird low frequency telescope,” in [*in preparation for SPIE*], (2024).
- [33] Maffei, B. and Chahadih, A., “Litebird mhft w-band rf breadboard modeling and characterisation,” in [*in preparation for SPIE*], (2024).
- [34] Savini, G. et al., “Parametric study of ghost analysis, chromatic aberrations and baffle thermal loading on the litebird high frequency telescope case study using zos api,” in [*in preparation for SPIE*], (2024).
- [35] Stever, S. et al., “Cosmic ray systematic effects in litebird: Projections, analysis, and future perspectives,” in [*in preparation for SPIE*], (2024).
- [36] Chahadih, A. et al., “Modeling, fabrication and rf performance of a w-band breadboard optical model for litebird mhft,” in [*in preparation for SPIE*], (2024).
- [37] Hastanin, J. et al., “Design optimization of anechoic skyload dedicated for litebird mhft on-ground testing,” in [*in preparation for SPIE*], (2024).
- [38] de Haan, T. et al., “The litebird payload module featuring state-of-the-art technologies for precision cmb measurements,” in [*in preparation for SPIE*], (2024).
- [39] Planck Collaboration I, “*Planck* 2018 results. I. Overview, and the cosmological legacy of *Planck*,” *A&A* **641**, A1 (2020).
- [40] BICEP2 Collaboration, “Constraints on Primordial Gravitational Waves Using Planck, WMAP, and New BICEP2/Keck Observations through the 2015 Season,” *Phys. Rev. Lett.* **121**, 221301 (Nov. 2018).
- [41] Tristram, M., Banday, A. J., Górski, K. M., Keskitalo, R., Lawrence, C. R., Andersen, K. J., Barreiro, R. B., Borrill, J., Colombo, L. P. L., Eriksen, H. K., Fernandez-Cobos, R., Kisner, T. S., Martínez-González, E., Partridge, B., Scott, D., Svalheim, T. L., and Wehus, I. K., “Improved limits on the tensor-to-scalar ratio using bicep and *planck* data,” *Phys. Rev. D* **105**, 083524 (Apr 2022).
- [42] Linde, A., “Gravitational waves and large field inflation,” *Journal of Cosmology and Astroparticle Physics* **2017**, 006 (feb 2017).
- [43] INCOSE, [*Systems Engineering Handbook: A Guide for System Life Cycle Processes and Activities*], John Wiley and Sons (2015).
- [44] Oguri, S., Dotani, T., Isshiki, M., Iwabuchi, S., Kaga, T., Matsuda, F. T., Miyazaki, Y., Mot, B., Nagata, R., Narasaki, K., Ogawa, H., Okudaira, T., Odagiri, K., Prouve, T., Roudil, G., Satoh, Y., Sekimoto, Y., Suzuki, T., Watanuki, K., Yoshida, S., and Yoshihara, K., “Mechanical design and structural analysis for LiteBIRD low-frequency telescope and payload module,” in [*Space Telescopes and Instrumentation 2022: Optical, Infrared, and Millimeter Wave*], Coyle, L. E., Matsuura, S., and Perrin, M. D., eds., *Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series* **12180**, 1218051 (Aug. 2022).
- [45] Montier, L., Mot, B., de Bernardis, P., Maffei, B., Pisano, G., Columbro, F., Gudmundsson, J. E., Henrot-Versillé, S., Lamagna, L., Montgomery, J., Prouvé, T., Russell, M., Savini, G., Stever, S., Thompson, K. L., Tsujimoto, M., Tucker, C., Westbrook, B., Ade, P. A. R., Adler, A., Allys, E., Arnold, K., Auguste, D., Aumont, J., Aurlien, R., Austermann, J., Baccigalupi, C., Banday, A. J., Banerji, R., Barreiro, R. B., Basak, S., Beall, J., Beck, D., Beckman, S., Bermejo, J., Bersanelli, M., Bonis, J., Borrill, J., Boulanger, F., Bounissou, S., Brilenkov, M., Brown, M., Bucher, M., Calabrese, E., Campeti, P., Carones, A., Casas, F. J., Challinor, A., Chan, V., Cheung, K., Chinone, Y., Cliche, J. F., Colombo, L., Cubas, J., Cukierman, A., Curtis, D., D’Alessandro, G., Dachlythra, N., De Petris, M., Dickinson, C., Diego-Palazuelos, P., Dobbs, M., Dotani, T., Duband, L., Duff, S., Duval, J. M., Ebisawa, K., Elleflot, T., Eriksen, H. K., Errard, J., Essinger-Hileman, T., Finelli, F., Flauger, R., Franceschet, C., Fuskeland, U., Galloway, M., Ganga, K., Gao, J. R., Genova-Santos, R., Gerbino, M., Gervasi, M., Ghigna, T., Gjerløw, E., Gradziel, M. L., Grain, J., Grupp, F., Gruppuso, A., de Haan, T., Halverson, N. W., Hargrave, P., Hasebe, T., Hasegawa, M., Hattori, M., Hazumi, M., Herman, D., Herranz, D., Hill, C. A., Hilton, G., Hirota, Y., Hivon, E., Hlozek, R. A., Hoshino, Y., de la Hoz, E., Hubmayr, J., Ichiki, K., Iida, T., Imada, H., Ishimura, K., Ishino, H., Jaehnig, G., Kaga, T., Kashima, S., Katayama, N., Kato, A., Kawasaki, T., Keskitalo, R., Kisner, T., Kobayashi, Y., Kogiso, N., Kogut, A., Kohri, K., Komatsu, E., Komatsu, K., Konishi, K., Krachmalnicoff, N., Kreykenbohm, I., Kuo, C. L., Kushino, A., Lanen, J. V., Lattanzi, M., Lee, A. T., Leloup, C., Levrier, F., Linder, E., Louis, T., Luzzi, G., Maciaszek, T., Maino, D., Maki, M., Mandelli, S., Martinez-Gonzalez, E., Masi, S., Matsumura, T., Mennella, A., Migliaccio, M., Minami, Y., Mitsuda, K., Morgante, G., Murata,

- Y., Murphy, J. A., Nagai, M., Nagano, Y., Nagasaki, T., Nagata, R., Nakamura, S., Namikawa, T., Natoli, P., Nerval, S., Nishibori, T., Nishino, H., O'Sullivan, C., Ogawa, H., Ogawa, H., Oguri, S., Ohsaki, H., Ohta, I. S., Okada, N., Okada, N., Pagano, L., Paiella, A., Paoletti, D., Patanchon, G., Peloton, J., Piacentini, F., Polenta, G., Poletti, D., Puglisi, G., Rambaud, D., Raum, C., Realini, S., Reinecke, M., Remazeilles, M., Ritacco, A., Roudil, G., Rubino-Martin, J. A., Sakurai, H., Sakurai, Y., Sandri, M., Sasaki, M., Scott, D., Seibert, J., Sekimoto, Y., Sherwin, B., Shinozaki, K., Shiraishi, M., Shirron, P., Signorelli, G., Smecher, G., Stompor, R., Sugai, H., Sugiyama, S., Suzuki, A., Suzuki, J., Svalheim, T. L., Switzer, E., Takaku, R., Takakura, H., Takakura, S., Takase, Y., Takeda, Y., Tartari, A., Taylor, E., Terao, Y., Thommesen, H., Thorne, B., Toda, T., Tomasi, M., Tominaga, M., Trappe, N., Tristram, M., Tsuji, M., Ullom, J., Vermeulen, G., Vielva, P., Villa, F., Vissers, M., Vittorio, N., Wehus, I., Weller, J., Wilms, J., Winter, B., Wollack, E. J., Yamasaki, N. Y., Yoshida, T., Yumoto, J., Zannoni, M., and Zonca, A., "Overview of the medium and high frequency telescopes of the LiteBIRD space mission," in [*Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series*], *Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series* **11443**, 114432G (Dec. 2020).
- [46] Odagiri, K., Shinozaki, K., Oguri, S., Matsuda, F., Suzuki, T., Ogawa, H., Sekimoto, Y., Dotani, T., Watanuki, K., Sugimoto, R., Yoshihara, K., Narasaki, K., Isshiki, M., Yoshida, S., Prouvé, T., Duval, J.-M., and Thompson, K. L., "Temperature stability analysis of cryogenic payload module for litebird," *30th Space Cryogenics Workshop, Hawaii, USA, July, 2023*.
- [47] Thuong Hoang, D. et al., "Bandpass mismatch error for satellite CMB experiments I: estimating the spurious signal," *JCAP* **2017**, 015 (Dec. 2017).
- [48] Ghigna, T., Matsumura, T., Patanchon, G., Ishino, H., and Hazumi, M., "Requirements for future CMB satellite missions: photometric and band-pass response calibration," *JCAP* **2020**, 030 (Nov. 2020).
- [49] Patanchon, G., Imada, H., Ishino, H., and Matsumura, T., "Effect of instrumental polarization with a half-wave plate on the B-mode signal: prediction and correction," *JCAP* **2024**, 074 (Apr. 2024).
- [50] Fuskeland, U., Aumont, J., Aurlen, R., Baccigalupi, C., Banday, A. J., Eriksen, H. K., Errard, J., Génova-Santos, R. T., Hasebe, T., Hubmayr, J., Imada, H., Krachmalnicoff, N., Lamagna, L., Pisano, G., Poletti, D., Remazeilles, M., Thompson, K. L., Vacher, L., Wehus, I. K., Azzoni, S., Ballardini, M., Barreiro, R. B., Bartolo, N., Basyrov, A., Beck, D., Bersanelli, M., Bortolami, M., Brilenkov, M., Calabrese, E., Carones, A., Casas, F. J., Cheung, K., Chluba, J., Clark, S. E., Clermont, L., Columbro, F., Coppolecchia, A., D'Alessandro, G., de Bernardis, P., de Haan, T., de la Hoz, E., De Petris, M., Della Torre, S., Diego-Palazuelos, P., Finelli, F., Franceschet, C., Galloni, G., Galloway, M., Gerbino, M., Gervasi, M., Ghigna, T., Giardiello, S., Gjerløw, E., Gruppuso, A., Hargrave, P., Hattori, M., Hazumi, M., Hergt, L. T., Herman, D., Herranz, D., Hivon, E., Hoang, T. D., Kohri, K., Lattanzi, M., Lee, A. T., Leloup, C., Levrier, F., Lonappan, A. I., Luzzi, G., Maffei, B., Martínez-González, E., Masi, S., Matarrese, S., Matsumura, T., Migliaccio, M., Montier, L., Morgante, G., Mot, B., Mousset, L., Nagata, R., Namikawa, T., Nati, F., Natoli, P., Nerval, S., Novelli, A., Pagano, L., Paiella, A., Paoletti, D., Pascual-Cisneros, G., Patanchon, G., Pelgrims, V., Piacentini, F., Piccirilli, G., Polenta, G., Puglisi, G., Raffuzzi, N., Ritacco, A., Rubino-Martin, J. A., Savini, G., Scott, D., Sekimoto, Y., Shiraishi, M., Signorelli, G., Stever, S. L., Stutzer, N., Sullivan, R. M., Takakura, H., Terenzi, L., Thommesen, H., Tristram, M., Tsuji, M., Vielva, P., Weller, J., Westbrook, B., Weymann-Despres, G., Wollack, E. J., and Zannoni, M., "Tensor-to-scalar ratio forecasts for extended LiteBIRD frequency configurations," *A&A* **676**, A42 (Aug. 2023).
- [51] Dame, T. M., Hartmann, D., and Thaddeus, P., "The Milky Way in Molecular Clouds: A New Complete CO Survey," *ApJ* **547**, 792–813 (Feb. 2001).
- [52] Hasebe, T., Ade, P. A. R., Adler, A., Allys, E., Alonso, D., Arnold, K., Auguste, D., Aumont, J., Aurlen, R., Austermann, J., Azzoni, S., Baccigalupi, C., Banday, A. J., Banerji, R., Barreiro, R. B., Bartolo, N., Basak, S., Battistelli, E., Bautista, L., Beall, J., Beck, D., Beckman, S., Benabed, K., Bermejo-Ballesteros, J., Bersanelli, M., Bonis, J., Borrill, J., Bouchet, F., Boulanger, F., Bounissou, S., Brilenkov, M., Brown, M. L., Bucher, M., Calabrese, E., Calvo, M., Campeti, P., Carones, A., Casas, F. J., Catalano, A., Challinor, A., Chan, V., Cheung, K., Chinone, Y., Cliche, J., Columbro, F., Coulton, W., Cubas, J., Cukierman, A., Curtis, D., D'Alessandro, G., Dachlythra, K., de Bernardis, P., de Haan, T., de la Hoz, E., De Petris, M., Torre, S. D., Dickinson, C., Diego-Palazuelos, P., Dobbs, M., Dotani, T., Douillet, D., Duband, L., Ducout, A., Duff, S., Duval, J. M., Ebisawa, K., Elleflot, T., Eriksen, H. K., Errard, J., Essinger-Hileman, T., Finelli,

F., Flauger, R., Franceschet, C., Fuskeland, U., Galli, S., Galloway, M., Ganga, K., Gao, J. R., Genova-Santos, R. T., Gerbino, M., Gervasi, M., Ghigna, T., Giardiello, S., Gjerløw, E., Gradziel, M. L., Grain, J., Grandsire, L., Grupp, F., Gruppuso, A., Gudmundsson, J. E., Halverson, N. W., Hamilton, J., Hargrave, P., Hasegawa, M., Hattori, M., Hazumi, M., Henrot-Versillé, S., Hergt, L. T., Herman, D., Herranz, D., Hill, C. A., Hilton, G., Hivon, E., Hlozek, R. A., Hoang, T. D., Hornsby, A. L., Hoshino, Y., Hubmayr, J., Ichiki, K., Iida, T., Imada, H., Ishimura, K., Ishino, H., Jaehnig, G., Jones, M., Kaga, T., Kashima, S., Katayama, N., Kato, A., Kawasaki, T., Keskitalo, R., Kisner, T., Kobayashi, Y., Kogiso, N., Kogut, A., Kohri, K., Komatsu, E., Komatsu, K., Konishi, K., Krachmalnicoff, N., Kreykenbohm, I., Kuo, C. L., Kushino, A., Lamagna, L., Lanen, J. V., Laquaniello, G., Lattanzi, M., Lee, A. T., Leloup, C., Levrier, F., Linder, E., Louis, T., Luzzi, G., Macias-Perez, J., Maciaszek, T., Maffei, B., Maino, D., Maki, M., Mandelli, S., Maris, M., Martínez-González, E., Masi, S., Massa, M., Matarrese, S., Matsuda, F. T., Matsumura, T., Mele, L., Mennella, A., Migliaccio, M., Minami, Y., Mitsuda, K., Moggi, A., Monfardini, A., Montgomery, J., Montier, L., Morgante, G., Mot, B., Murata, Y., Murphy, J. A., Nagai, M., Nagano, Y., Nagasaki, T., Nagata, R., Nakamura, S., Nakano, R., Namikawa, T., Nati, F., Natoli, P., Nerval, S., Nishibori, T., Nishino, H., Noviello, F., O'Sullivan, C., Odagiri, K., Ogawa, H., Ogawa, H., Oguri, S., Ohsaki, H., Ohta, I. S., Okada, N., Okada, N., Pagano, L., Paiella, A., Paoletti, D., Passerini, A., Patanchon, G., Pelgrim, V., Peloton, J., Piacentini, F., Piat, M., Pisano, G., Polenta, G., Poletti, D., Prouvé, T., Puglisi, G., Rambaud, D., Raum, C., Realini, S., Reinecke, M., Remazeilles, M., Ritacco, A., Roudil, G., Rubino-Martin, J., Russell, M., Sakurai, H., Sakurai, Y., Sandri, M., Sasaki, M., Savini, G., Scott, D., Seibert, J., Sekimoto, Y., Sherwin, B., Shinozaki, K., Shiraishi, M., Shirron, P., Signorelli, G., Smecher, G., Spinella, F., Stever, S., Stompor, R., Sugiyama, S., Sullivan, R., Suzuki, A., Suzuki, J., Svalheim, T. L., Switzer, E., Takaku, R., Takakura, H., Takakura, S., Takase, Y., Takeda, Y., Tartari, A., Tavagnacco, D., Taylor, A., Taylor, E., Terao, Y., Thermeau, J., Thommesen, H., Thompson, K. L., Thorne, B., Toda, T., Tomasi, M., Tominaga, M., Trappe, N., Tristram, M., Tsuji, M., Tsujimoto, M., Tucker, C., Ullom, J., Vacher, L., Vermeulen, G., Vielva, P., Villa, F., Vissers, M., Vittorio, N., Wandelt, B., Wang, W., Watanuki, K., Wehus, I. K., Weller, J., Westbrook, B., Wilms, J., Winter, B., Wollack, E. J., Yamasaki, N. Y., Yoshida, T., Yumoto, J., Zacchei, A., Zannoni, M., Zonca, A., and LiteBIRD Collaboration, "Sensitivity Modeling for LiteBIRD," *Journal of Low Temperature Physics* **211**, 384–397 (June 2023).

- [53] Westbrook, B., Raum, C., Beckman, S., Lee, A. T., Farias, N., Sasse, T., Suzuki, A., Kane, E., Austermann, J. E., Beall, J. A., Duff, S. M., Hubmayr, J., Hilton, G. C., Van Lanen, J., Vissers, M. R., Link, M. R., Halverson, N., Jaehnig, G., Ghinga, T., Stever, S., Minami, Y., Thompson, K. L., Russell, M., Arnold, K., Seibert, J., and Silva-Feaver, M., "Detector fabrication development for the LiteBIRD satellite mission," in [*Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series*], *Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series* **11443**, 114435Q (Dec. 2020).
- [54] Westbrook, B., Raum, C., Beckman, S., Lee, A. T., Farias, N., Bogdan, A., Hornsby, A., Suzuki, A., Rotermund, K., Elleflot, T., Austerman, J. E., Beall, J. A., Duff, S. M., Hubmayr, J., Vissers, M. R., Link, M. J., Jaehnig, G., Halverson, N., Ghigna, T., Hazumi, M., Stever, S., Minami, Y., Thompson, K. L., Russell, M., Arnold, K., and Silva-Feaver, M., "Development of the low frequency telescope focal plane detector modules for LiteBIRD," in [*Millimeter, Submillimeter, and Far-Infrared Detectors and Instrumentation for Astronomy XI*], Zmuidzinas, J. and Gao, J.-R., eds., *Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series* **12190**, 121900I (Aug. 2022).
- [55] Jaehnig, G. C., Arnold, K., Austermann, J. E., Beall, J. A., Becker, D., Connors, J., Duff, S. M., Halverson, N. W., Hazumi, M., Hilton, G. C., Hubmayr, J., Kuo, C. L., Lee, A. T., Link, M., Raum, C., Stevenson, S., Suzuki, A., Thompson, K., Van Lanen, J., Vissers, M. R., Walker, S., and Westbrook, B., "LiteBIRD low- and mid-frequency detectors: design and status," in [*Millimeter, Submillimeter, and Far-Infrared Detectors and Instrumentation for Astronomy XI*], Zmuidzinas, J. and Gao, J.-R., eds., *Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series* **12190**, 121900T (Aug. 2022).
- [56] Hubmayr, J., Ade, P. A. R., Adler, A., Allys, E., Alonso, D., Arnold, K., Auguste, D., Aumont, J., Aurlien, R., Austermann, J. E., Azzoni, S., Baccigalupi, C., Banday, A. J., Banerji, R., Barreiro, R. B., Bartolo, N., Basak, S., Battistelli, E., Bautista, L., Beall, J. A., Beck, D., Beckman, S., Benabed, K., Bermejo-Ballesteros, J., Bersanelli, M., Bonis, J., Borrill, J., Bouchet, F., Boulanger, F., Bounissou, S., Brilenkov, M., Brown, M. L., Bucher, M., Calabrese, E., Calvo, M., Campeti, P., Carones, A., Casas, F. J., Catalano,

A., Challinor, A., Chan, V., Cheung, K., Chinone, Y., Chiocchetta, C., Clark, S. E., Clermont, L., Clesse, S., Cliche, J., Columbro, F., Connors, J. A., Coppolecchia, A., Coulton, W., Cubas, J., Cukierman, A., Curtis, D., Cuttaia, F., D'Alessandro, G., Dachlythra, K., de Bernardis, P., de Haan, T., de la Hoz, E., De Petris, M., Della Torre, S., Daz Garca, J. J., Dickinson, C., Diego-Palazuelos, P., Dobbs, M., Dotani, T., Douillet, D., Doumayrou, E., Duband, L., Ducout, A., Duff, S. M., Duval, J. M., Ebisawa, K., Elleflot, T., Eriksen, H. K., Errard, J., Essinger-Hileman, T., Farrens, S., Finelli, F., Flauger, R., Fleury-Frenette, K., Franceschet, C., Fuskeland, U., Galli, L., Galli, S., Galloway, M., Ganga, K., Gao, J. R., Genova-Santos, R. T., Georges, M., Gerbino, M., Gervasi, M., Ghigna, T., Giardiello, S., Gjerlw, E., Gonzles, R. G., Gradziel, M. L., Grain, J., Grandsire, L., Grupp, F., Gruppuso, A., Gudmundsson, J. E., Halverson, N. W., Hamilton, J., Hargrave, P., Hasebe, T., Hasegawa, M., Hattori, M., Hazumi, M., Henrot-Versill, S., Hensley, B., Herman, D., Herranz, D., Hilton, G. C., Hivon, E., Hlozek, R. A., Hoang, D., Hornsby, A. L., Hoshino, Y., Ichiki, K., Iida, T., Ikemoto, T., Imada, H., Ishimura, K., Ishino, H., Jaehnig, G., Jones, M., Kaga, T., Kashima, S., Katayama, N., Kato, A., Kawasaki, T., Keskitalo, R., Kintziger, C., Kisner, T., Kobayashi, Y., Kogiso, N., Kogut, A., Kohri, K., Komatsu, E., Komatsu, K., Konishi, K., Krachmalnicoff, N., Kreykenbohm, I., Kuo, C. L., Kushino, A., Lamagna, L., Lanen, J. V., Laquaniello, G., Lattanzi, M., Lee, A. T., Leloup, C., Levrier, F., Linder, E., Link, M. J., Lonappan, A. I., Louis, T., Luzzi, G., Macias-Perez, J., Maciaszek, T., Maffei, B., Maino, D., Maki, M., Mandelli, S., Maris, M., Marquet, B., Martnez-Gonzlez, E., Martire, F. A., Masi, S., Massa, M., Masuzawa, M., Matarrese, S., Matsuda, F. T., Matsumura, T., Mele, L., Mennella, A., Migliaccio, M., Minami, Y., Mitsuda, K., Moggi, A., Monelli, M., Monfardini, A., Montgomery, J., Montier, L., Morgante, G., Mot, B., Murata, Y., Murphy, J. A., Nagai, M., Nagano, Y., Nagasaki, T., Nagata, R., Nakamura, S., Nakano, R., Namikawa, T., Nati, F., Natoli, P., Nerval, S., Neto Godry Farias, N., Nishibori, T., Nishino, H., Noviello, F., O'Neil, G. C., O'Sullivan, C., Odagiri, K., Ochi, H., Ogawa, H., Ogawa, H., Oguri, S., Ohsaki, H., Ohta, I. S., Okada, N., Pagano, L., Paiella, A., Paoletti, D., Pascual Cisneros, G., Passerini, A., Patanchon, G., Pelgrim, V., Peloton, J., Pettorino, V., Piacentini, F., Piat, M., Piccirilli, G., Pinsard, F., Pisano, G., Plesseria, J., Polenta, G., Poletti, D., Prouv, T., Puglisi, G., Rambaud, D., Raum, C., Realini, S., Reinecke, M., Reintsema, C. D., Remazeilles, M., Ritacco, A., Rosier, P., Roudil, G., Rubino-Martin, J., Russell, M., Sakurai, H., Sakurai, Y., Sandri, M., Sasaki, M., Savini, G., Scott, D., Seibert, J., Sekimoto, Y., Sherwin, B., Shinozaki, K., Shiraishi, M., Shirron, P., Shitvov, A., Signorelli, G., Smecher, G., Spinella, F., Starck, J., Stever, S., Stompor, R., Sudiwala, R., Sugiyama, S., Sullivan, R., Suzuki, A., Suzuki, J., Suzuki, T., Svalheim, T. L., Switzer, E., Takaku, R., Takakura, H., Takakura, S., Takase, Y., Takeda, Y., Tartari, A., Tavagnacco, D., Taylor, A., Taylor, E., Terao, Y., Terenzi, L., Thermeau, J., Thommesen, H., Thompson, K. L., Thorne, B., Toda, T., Tomasi, M., Tominaga, M., Trappe, N., Tristram, M., Tsuji, M., Tsujimoto, M., Tucker, C., Ueki, R., Ullom, J. N., Umemori, K., Vacher, L., Van Lanen, J., Vermeulen, G., Vielva, P., Villa, F., Vissers, M. R., Vittorio, N., Wandelt, B., Wang, W., Wehus, I. K., Weller, J., Westbrook, B., Weymann-Despres, G., Wilms, J., Winter, B., Wollack, E. J., Yamasaki, N. Y., Yoshida, T., Yumoto, J., Watanuki, K., Zacchei, A., Zannoni, M., and Zonca, A., "Optical Characterization of OMT-Coupled TES Bolometers for LiteBIRD," *Journal of Low Temperature Physics* **209**, 396–408 (Nov. 2022).

- [57] Montgomery, J., Ade, P. A. R., Ahmed, Z., Anderes, E., Anderson, A. J., Archipley, M., Avva, J. S., Aylor, K., Balkenhol, L., Barry, P. S., Thakur, R. B., Benabed, K., Bender, A. N., Benson, B. A., Bianchini, F., Bleem, L. E., Bouchet, F. R., Bryant, L., Byrum, K., Carlstrom, J. E., Carter, F. W., Cecil, T. W., Chang, C. L., Chaubal, P., Chen, G., Cho, H., Chou, T.-L., Cliche, J.-F., Crawford, T. M., Cukierman, A., Daley, C., de Haan, T., Denison, E. V., Dibert, K., Ding, J., Dobbs, M. A., Dutcher, D., Elleflot, T., Everett, W., Feng, C., Ferguson, K. R., Foster, A., Fu, J., Galli, S., Gambrel, A. E., Gardner, R. W., Goeckner-Wald, N., Groh, J. C., Gualtieri, R., Guns, S., Gupta, N., Guyser, R., Halverson, N. W., Harke-Hosemann, A. H., Harrington, N. L., Henning, J. W., Hilton, G. C., Hivon, E., Holzapfel, W. L., Hood, J. C., Howe, D., Huang, N., Irwin, K. D., Jeong, O. B., Jonas, M., Jones, A., Khaire, T. S., Knox, L., Kofman, A. M., Korman, M., Kubik, D. L., Kuhlmann, S., Kuo, C.-L., Lee, A. T., Leitch, E. M., Lowitz, A. E., Lu, C., Meyer, S. S., Michalik, D., Millea, M., Nadolski, A., Natoli, T., Nguyen, H., Noble, G. I., Novosad, V., Omori, Y., Padin, S., Pan, Z., Paschos, P., Pearson, J., Posada, C. M., Prabhu, K., Quan, W., Rahlin, A., Reichardt, C. L., Riebel, D., Riedel, B., Rouble, M., Ruhl, J. E., Sayre, J. T., Schiappucci, E., Shirokoff, E., Smecher, G., Sobrin, J. A., Stark, A. A., Stephen, J., Story, K. T., Suzuki, A., Thompson, K. L., Thorne,

- B., Tucker, C., Umiltà, C., Vale, L. R., Vanderlinde, K., Vieira, J. D., Wang, G., Whitehorn, N., Wu, W. L. K., Yefremenko, V., Yoon, K. W., and Young, M. R., “Performance and characterization of the SPT-3G digital frequency-domain multiplexed readout system using an improved noise and crosstalk model,” *Journal of Astronomical Telescopes, Instruments, and Systems* **8**, 014001 (Jan. 2022).
- [58] de Haan, T., Adkins, T., Hazumi, M., Kaneko, D., Montgomery, J., Smecher, G., Suzuki, A., and Zhou, Y., “Monitoring TES Loop Gain in Frequency Multiplexed Readout,” *arXiv e-prints*, arXiv:2311.01846 (Nov. 2023).
- [59] Namikawa, T., Lonappan, A. I., Baccigalupi, C., Bartolo, N., Beck, D., Benabed, K., Challinor, A., Diego-Palazuelos, P., Errard, J., Farrens, S., Gruppuso, A., Krachmalnicoff, N., Migliaccio, M., Martínez-González, E., Pettorino, V., Piccirilli, G., Ruiz-Granda, M., Sherwin, B., Starck, J., Vielva, P., Akizawa, R., Anand, A., Aumont, J., Aurlien, R., Azzoni, S., Ballardini, M., Banday, A. J., Barreiro, R. B., Bersanelli, M., Blinov, D., Bortolami, M., Brinckmann, T., Calabrese, E., Campeti, P., Carones, A., Carralot, F., Casas, F. J., Cheung, K., Clermont, L., Columbro, F., Conenna, G., Coppolecchia, A., Cuttaia, F., D’Alessandro, G., de Bernardis, P., de Haan, T., De Petris, M., Della Torre, S., Di Giorgi, E., Eriksen, H. K., Finelli, F., Franceschet, C., Fuskeland, U., Galloni, G., Galloway, M., Georges, M., Gerbino, M., Gervasi, M., Ghigna, T., Giardiello, S., Gimeno-Amo, C., Gjerløw, E., Hazumi, M., Henrot-Versillé, S., Hergt, L. T., Hivon, E., Kohri, K., Komatsu, E., Lamagna, L., Lattanzi, M., Leloup, C., Lembo, M., López-Caniego, M., Luzzi, G., Maffei, B., Masi, S., Massa, M., Matarrese, S., Matsumura, T., Micheli, S., Moggi, A., Monelli, M., Montier, L., Morgante, G., Mot, B., Mousset, L., Nagata, R., Natoli, P., Novelli, A., Obata, I., Occhiuzzi, A., Pagano, L., Paiella, A., Paoletti, D., Pascual-Cisneros, G., Pavlidou, V., Piacentini, F., Pinchera, M., Pisano, G., Polenta, G., Puglisi, G., Remazeilles, M., Ritacco, A., Rizzieri, A., Rubino-Martin, J., Sakurai, Y., Scott, D., Shiraishi, M., Signorelli, G., Stever, S. L., Takase, Y., Tanimura, H., Tartari, A., Tassis, K., Terenzi, L., Tristram, M., Vacher, L., van Tent, B., Wehus, I. K., Weymann-Despres, G., Zannoni, M., and Zhou, Y., “LiteBIRD Science Goals and Forecasts: Improving Sensitivity to Inflationary Gravitational Waves with Multitracer Delensing,” *arXiv e-prints*, arXiv:2312.05194 (Dec. 2023).
- [60] Lonappan, A. I., Namikawa, T., Piccirilli, G., Diego-Palazuelos, P., Ruiz-Granda, M., Migliaccio, M., Baccigalupi, C., Bartolo, N., Beck, D., Benabed, K., Challinor, A., Errard, J., Farrens, S., Gruppuso, A., Krachmalnicoff, N., Martínez-González, E., Pettorino, V., Sherwin, B., Starck, J., Vielva, P., Akizawa, R., Anand, A., Aumont, J., Aurlien, R., Azzoni, S., Ballardini, M., Banday, A. J., Barreiro, R. B., Bersanelli, M., Blinov, D., Bortolami, M., Brinckmann, T., Calabrese, E., Campeti, P., Carones, A., Carralot, F., Casas, F. J., Cheung, K., Clermont, L., Columbro, F., Conenna, G., Coppolecchia, A., Cuttaia, F., D’Alessandro, G., de Bernardis, P., De Petris, M., Della Torre, S., Di Giorgi, E., Eriksen, H. K., Finelli, F., Franceschet, C., Fuskeland, U., Galloni, G., Galloway, M., Georges, M., Gerbino, M., Gervasi, M., Génova-Santos, R. T., Ghigna, T., Giardiello, S., Gimeno-Amo, C., Gjerløw, E., Hazumi, M., Henrot-Versillé, S., Hergt, L. T., Hivon, E., Kohri, K., Komatsu, E., Lamagna, L., Lattanzi, M., Leloup, C., Lembo, M., López-Caniego, M., Luzzi, G., Macias-Perez, J., Maffei, B., Masi, S., Massa, M., Matarrese, S., Matsumura, T., Micheli, S., Moggi, A., Monelli, M., Montier, L., Morgante, G., Mot, B., Mousset, L., Nagata, R., Natoli, P., Novelli, A., Obata, I., Occhiuzzi, A., Pagano, L., Paiella, A., Paoletti, D., Pascual-Cisneros, G., Pavlidou, V., Piacentini, F., Pinchera, M., Pisano, G., Polenta, G., Puglisi, G., Remazeilles, M., Ritacco, A., Rizzieri, A., Sakurai, Y., Scott, D., Shiraishi, M., Signorelli, G., Stever, S. L., Takase, Y., Tanimura, H., Tartari, A., Tassis, K., Terenzi, L., Tristram, M., Vacher, L., van Tent, B., Wehus, I. K., Weymann-Despres, G., Zannoni, M., and Zhou, Y., “LiteBIRD Science Goals and Forecasts: A full-sky measurement of gravitational lensing of the CMB,” *arXiv e-prints*, arXiv:2312.05184 (Dec. 2023).
- [61] Paoletti, D., Rubino-Martin, J., Shiraishi, M., Molinari, D., Chluba, J., Finelli, F., Baccigalupi, C., Errard, J., Gruppuso, A., Lonappan, A. I., Tartari, A., Allys, E., Anand, A., Aumont, J., Ballardini, M., Banday, A. J., Barreiro, R. B., Bartolo, N., Bersanelli, M., Bortolami, M., Brinckmann, T., Calabrese, E., Campeti, P., Carones, A., Casas, F. J., Cheung, K., Clermont, L., Columbro, F., Conenna, G., Coppolecchia, A., Cuttaia, F., D’Alessandro, G., de Bernardis, P., Della Torre, S., Diego-Palazuelos, P., Eriksen, H. K., Fuskeland, U., Galloni, G., Galloway, M., Gerbino, M., Gervasi, M., Ghigna, T., Giardiello, S., Gimeno-Amo, C., Gjerløw, E., Grupp, F., Hazumi, M., Henrot-Versillé, S., Hergt, L. T., Hivon, E., Ichiki, K., Ishino, H., Kohri, K., Komatsu, E., Krachmalnicoff, N., Lamagna, L., Lattanzi, M., Lembo, M., Levrier, F., López-Caniego, M., Luzzi, G., Martínez-González, E., Masi, S., Matarrese, S., Micheli, S., Migliaccio,

- M., Monelli, M., Montier, L., Morgante, G., Mousset, L., Nagata, R., Namikawa, T., Natoli, P., Novelli, A., Obata, I., Occhiuzzi, A., Odagiri, K., Pagano, L., Paiella, A., Pascual-Cisneros, G., Piacentini, F., Piccirilli, G., Remazeilles, M., Ritacco, A., Ruiz-Granda, M., Sakurai, Y., Scott, D., Stever, S. L., Sullivan, R. M., Takase, Y., Tassis, K., Terenzi, L., Tristram, M., Vacher, L., van Tent, B., Vielva, P., Wehus, I. K., Weymann-Despres, G., Zannoni, M., and Zhou, Y., “LiteBIRD Science Goals and Forecasts: Primordial Magnetic Fields,” *arXiv e-prints*, arXiv:2403.16763 (Mar. 2024).
- [62] Campeti, P., Komatsu, E., Baccigalupi, C., Ballardini, M., Bartolo, N., Carones, A., Errard, J., Finelli, F., Flauger, R., Galli, S., Galloni, G., Giardiello, S., Hazumi, M., Henrot-Versillé, S., Hergt, L. T., Kohri, K., Leloup, C., Lesgourgues, J., Macias-Perez, J., Martínez-González, E., Matarrese, S., Matsumura, T., Montier, L., Namikawa, T., Paoletti, D., Poletti, D., Remazeilles, M., Shiraishi, M., van Tent, B., Tristram, M., Vacher, L., Vittorio, N., Weymann-Despres, G., Anand, A., Aumont, J., Aurlien, R., Banday, A. J., Barreiro, R. B., Basyrov, A., Bersanelli, M., Blinov, D., Bortolami, M., Brinckmann, T., Calabrese, E., Carralot, F., Casas, F. J., Clermont, L., Columbro, F., Conenna, G., Coppolecchia, A., Cuttaia, F., D’Alessandro, G., de Bernardis, P., De Petris, M., Della Torre, S., Di Giorgi, E., Diego-Palazuelos, P., Eriksen, H. K., Franceschet, C., Fuskeland, U., Galloway, M., Georges, M., Gerbino, M., Gervasi, M., Ghigna, T., Gimeno-Amo, C., Gjerløw, E., Gruppuso, A., Gudmundsson, J., Krachmalnicoff, N., Lamagna, L., Lattanzi, M., Lembo, M., Lonappan, A. I., Masi, S., Massa, M., Micheli, S., Moggi, A., Monelli, M., Morgante, G., Mot, B., Mousset, L., Nagata, R., Natoli, P., Novelli, A., Obata, I., Pagano, L., Paiella, A., Pavlidou, V., Piacentini, F., Pinchera, M., Pisano, G., Puglisi, G., Raffuzzi, N., Ritacco, A., Rizzieri, A., Ruiz-Granda, M., Savini, G., Scott, D., Signorelli, G., Stever, S. L., Stutzer, N., Sullivan, R. M., Tartari, A., Tassis, K., Terenzi, L., Thompson, K. L., Vielva, P., Wehus, I. K., and Zhou, Y., “LiteBIRD Science Goals and Forecasts. A Case Study of the Origin of Primordial Gravitational Waves using Large-Scale CMB Polarization,” *arXiv e-prints*, arXiv:2312.00717 (Dec. 2023).
- [63] Poletti, D. and Errard, J., “FGBuster: Parametric component separation for Cosmic Microwave Background observations.” Astrophysics Source Code Library, record ascl:2307.021 (July 2023).
- [64] Leloup, C., Errard, J., and Stompor, R., “Nonparametric maximum likelihood component separation for CMB polarization data,” *Physical Review D* **108**, 123547 (Dec. 2023).
- [65] Puglisi, G., Mihaylov, G., Panopoulou, G. V., Poletti, D., Errard, J., Puglisi, P. A., and Vianello, G., “Improved galactic foreground removal for B-mode detection with clustering methods,” *MNRAS* **511**, 2052–2074 (Apr. 2022).
- [66] Carones, A., Migliaccio, M., Puglisi, G., Baccigalupi, C., Marinucci, D., Vittorio, N., Poletti, D., and LiteBIRD collaboration, “Multiclustering needlet ILC for CMB B-mode component separation,” *MNRAS* **525**, 3117–3135 (Oct. 2023).
- [67] Carones, A. and Remazeilles, M., “Optimization of foreground moment deprojection for semi-blind CMB polarization reconstruction,” *arXiv e-prints*, arXiv:2402.17579 (Feb. 2024).
- [68] Leloup, C., Patanchon, G., Errard, J., Franceschet, C., Gudmundsson, J. E., Henrot-Versillé, S., Imada, H., Ishino, H., Matsumura, T., Puglisi, G., Wang, W., Adler, A., Aumont, J., Aurlien, R., Baccigalupi, C., Ballardini, M., Banday, A. J., Barreiro, R. B., Bartolo, N., Basyrov, A., Bersanelli, M., Blinov, D., Bortolami, M., Brinckmann, T., Campeti, P., Carones, A., Carralot, F., Casas, F. J., Cheung, K., Clermont, L., Columbro, F., Conenna, G., Coppolecchia, A., Cuttaia, F., D’Alessandro, G., de Bernardis, P., de Haan, T., De Petris, M., Della Torre, S., Diego-Palazuelos, P., Eriksen, H. K., Finelli, F., Fuskeland, U., Galloni, G., Galloway, M., Georges, M., Gerbino, M., Gervasi, M., Génova-Santos, R. T., Ghigna, T., Giardiello, S., Gimeno-Amo, C., Gjerløw, E., Gruppuso, A., Hazumi, M., Hergt, L. T., Herranz, D., Hivon, E., Hoang, T. D., Jost, B., Kohri, K., Krachmalnicoff, N., Lee, A. T., Lembo, M., Levrier, F., Lonappan, A. I., López-Caniego, M., Macias-Perez, J., Martínez-González, E., Masi, S., Matarrese, S., Micheli, S., Monelli, M., Montier, L., Morgante, G., Mot, B., Mousset, L., Namikawa, T., Natoli, P., Novelli, A., Noviello, F., Obata, I., Odagiri, K., Pagano, L., Paiella, A., Paoletti, D., Pascual-Cisneros, G., Pavlidou, V., Piacentini, F., Piccirilli, G., Pisano, G., Polenta, G., Raffuzzi, N., Remazeilles, M., Ritacco, A., Rizzieri, A., Ruiz-Granda, M., Sakurai, Y., Shiraishi, M., Stever, S. L., Takase, Y., Tassis, K., Terenzi, L., Thompson, K. L., Tristram, M., Vacher, L., Vielva, P., Wehus, I. K., Weymann-Despres, G., Zannoni, M., and Zhou, Y., “Impact of beam far side-lobe knowledge in the presence of foregrounds for LiteBIRD,” *arXiv e-prints*, arXiv:2312.09001 (Dec. 2023).

- [69] Monelli, M., Komatsu, E., Ghigna, T., Matsumura, T., Pisano, G., and Takaku, R., “Impact of half-wave plate systematics on the measurement of CMB B-mode polarization,” *JCAP* **2024**, 018 (May 2024).
- [70] Errard, J. and Stompor, R., “Characterizing bias on large scale CMB B -modes after Galactic foregrounds cleaning,” *Physical Review D* **99**, 043529 (Feb. 2019).